## State of North Carolina E-Procurement Service Division of Purchase and Contract Ordering Instructions for Term Contract 445A Tools, Hand, and Related Accessories

## Applied Industrial Technologies - Ingersoll Rand

## Steps to place your additional items order via E-Procurement:

- 1. Locate the additional item you want from the list below
- 2. Return to your eRequisition in E-Procurement
- 3. Click on "Add Items"
- 4. Click on the tab marked "Non-Catalog"
- 5. In the field titled "Full Description", type in "Tools, Hand, and Related Accessories order per Term Contract 445A" and any additional descriptive text
- 6. In the field titled "Commodity Code", click on the +, select the appropriate Commodity Code
- 7. In the field titled "Supplier", click on the +, select the appropriate vendor
- 8. In the field titled "Quantity", type in the appropriate quantity of your order
- 9. In the field titled "Unit of Measure", leave the default EACH
- 10. In the field titled "Price", type in the price of the item as listed below
- 11. Complete all other appropriate information on this page and click "Add Item"
- 12. On the View Line Items page click "Edit" to access the Edit Line Item page
- 13. On the drop down box next to "Contract?" select "Statewide"
- 14. When you select "Statewide", the "Contract ID" Field appears
- 15. Enter the Term Contract ID Number into the "Contract ID" field. Do not use spaces or dashes in the Term Contract ID Number. Your Term Contract Number should be entered as follows: "445A"
- 16. Click "OK"; repeat the "Edit" steps for all State Contract line items; when completed click "Next"
- 17. Complete the Shipping and Accounting screens appropriately
- 18. Continue your order placement process and submit your eRequisition

## Refer to the contract for restrictions and additional information

The following Ingersoll Rand items have been awarded on this contract. Please follow instructions above to order these items. Prices are effective 9/1/2010.

|             |  | Net Unit |     | Commodity |
|-------------|--|----------|-----|-----------|
| Part Number | Product Description  | Price    | UOM | Code      |
|             | Impact Wrench, Air, Titanium Rating, 1/2" Drive, 700ft-lb Max  |          |     |           |
| 2135PTI     | Torque, 1/4" NPTF Air Inlet, Light Weight 3.95 LBS             | 310.81   | EA  | 445-30    |
|             | Impact Wrench, Air, Titanium Rating, 1/2" Drive, 270 ft-lb Max |          |     |           |
| 2125QTI     | Torque   | 305.83   | EA  | 445-30    |
|             | Grinder, Air, Right Angle, Super Duty, 1/4", 1/4" NPTF Air     |          |     |           |
| 3102        | Inlet  | 145.33   | EA  | 445-30    |
| 3108        | Grinder, Air, Die, Super Duty, 1/4", 1/4" NPTF Air Inlet       | 99.36    | EA  | 445-30    |
| 4152        | Sander, Random Orbital, Air, 6" Pad, Ultra Duty                | 143.78   | EA  | 445-30    |
|             | Sander, Random Orbital, Air, 6" Pad, Ultra Duty, Hook and      |          |     |           |
| 4152-HL     | Loop Pad   | 143.78   | EA  | 445-30    |
|             | Impact Wrench, Air, Titanium Rating, 1", 470mm Length, 1/2"    |          |     |           |
| 2190DTI-6   | NPTF Air Inlet, 1,600 ft-lb Max Torque                         | 754.53   | EA  | 445-30    |
|             |  |          |     |           |
| 319A        | Sander, Vertical, Air, Heavy Duty, 7" Pad, 1/4" NPTF Air Inlet | 236.20   | EA  | 445-06    |
|             | Ratchet, Air, Super Duty, 3/8", 60ft-lb Max Torque, 1/4" NPTF  |          |     |           |
| 1200        | Air Inlet  | 139.76   | EA  | 445-30    |
|             | Polisher/Buffer, Air, Vertical, Heavy Duty, 7" Pad, 2,800 RPM, |          |     |           |
| 318A        | 1/4" NPTF Air Inlet  | 241.14   | EA  | 445-30    |
|             | Grinder, Die, Angle, Air, 1/4" Collet, Heavy Duty, 1/4" NPTF   |          |     |           |
| 302A        | Air Inlet  | 122.10   | EA  | 445-06    |

| Part Number | Product Description   | Net Unit<br>Price | UOM | Commodity<br>Code |
|-------------|---|-------------------|-----|-------------------|
|             | Wrench, Impact, Air, Heavy Duty, 1/2", 600ft-lb Max Torque,   |                   |     |                   |
| 2130        | 1/4" NPTF Air Inlet   | 179.21            | EA  | 445-30            |
| 7802A       | Drill, Air, Heavy Duty, 3/8", 2,000 RPM, 1/4" NPTF Air Inlet  | 114.28            | EA  | 445-30            |
| 7802RA      | Drill, Air, Reversible, Heavy Duty, 3/8", 2,000 RPM, 1/4" NPTF Air Inlet                                | 163.07            | EA  | 445-30            |
| 7803RA      | Drill, Air, Reversible, Heavy Duty, 1/2", 400 RPM, 1/4" NPTF Air Inlet                                  | 209.09            | FA  | 445-30            |
| 1210        | Ratchet, Air, Super Duty, 1/2", 60ft-lb Max Torque, 1/4" NPTF Air Inlet                                 | 154.96            |     | 445-30            |
|             | Ratchet, Air, Heavy Duty, 3/8", 20ft-lb Max Torque, 1/4" NPTF   |                   |     |                   |
| 1033A       | Air Inlet Ratchet, Air, Stubby, Heavy Duty, 1/4", 20ft-lb Max Torque,                                   | 97.59             | EA  | 445-30            |
| 103A        | 1/4" NPTF Air Inlet   | 99.05             | EA  | 445-30            |
| 2130-2      | Wrench, Impact, Air, Heavy Duty, 1/2", 600ft-lb Max Torque, 9.25" Length, 1/4" NPTF Air Inlet           | 186.04            | EA  | 445-30            |
| 312A        | Sander, Orbital, Air, Heavy Duty, 3 2/3" x 6 3/4" Pad, 8,000 RPM, 1/4" NPTF Air Inlet                   | 135.98            | EA  | 445-30            |
| 313A        | Sander, Angle, Air, Heavy Duty, 7" Pad, 5,000 RPM, 1/4" NPTF Air Inlet                                  | 215.27            | FΔ  | 445-30            |
|             | Sander, Angle, Air, Heavy Duty, 7" Pad, 2,500 RPM, 1/4"   |                   |     |                   |
| 314A        | NPTF Air Inlet Sander, Air, High Speed, Heavy Duty, 5" Pad, 18,000 RPM,                                 | 227.21            | EA  | 445-30            |
| 317A        | 1/4" NPTF Air Inlet Drill, Air, Reversible, Keyless Chuck, Heavy Duty, 3/8", 2,000                      | 68.98             | EA  | 445-30            |
| 7802RAKC    | RPM, 1/4" NPTF Air Inlet  | 156.90            | EA  | 445-27            |
| 7802SA      | Shear, Air, Heavy Duty, 4,200 Strokes Per Minute, Up to 20 Gauge Cold Rolled Steel, 1/4" NPTF Air Inlet | 167.38            | EA  | 445-27            |
| 7803A       | Drill, Air, Heavy Duty, 1/2", 500 RPM, 1/4" NPTF Air Inlet  | 202.70            | EA  | 445-27            |
| 7803AKC     | Drill, Air, Heavy Duty, Keyless Chuck, 1/2", 400 RPM, 1/4" NPTF Air Inlet                               | 226.48            | EA  | 445-27            |
| 7803RAKC    | Drill, Air, Reversible, Keyless Chuck, Heavy Duty, 1/2", 400 RPM, 1/4" NPTF Air Inlet                   | 238.51            |     | 445-27            |
| 216         | Wrench, Impact, Air, Super Duty, 3/8" Drive, 175 ft-lb Max Torque, 1/4" NPTF Air Inlet                  | 139.59            | EA  | 445-30            |
| 109XPA      | Ratchet, Air, Super Duty, 3/8", 70ft-lb Max Torque, 1/4" NPTF Air Inlet                                 | 148.66            |     | 445-30            |
|             | Ratchet, Air, Heavy Duty, 1/2", 50ft-lb Max Torque, 1/4" NPTF   |                   |     |                   |
| 1077XPA     | Air Inlet  Ratchet, Air, Super Duty, 1/2", 70ft-lb Max Torque, 1/4" NPTF                                | 116.00            | EA  | 445-30            |
| 1099XPA     | Air Inlet  Ratchet, Air, Heavy Duty, 1/4", 20ft-lb Max Torque, 1/4" NPTF                                | 177.19            | EA  | 445-30            |
| 104B        | Air Inlet   | 119.18            | EA  | 445-91            |
| 295A        | Wrench, Impact, Air, Heavy Duty, 1", 1,450ft-lb Max Torque, 3/8" NPTF Air Inlet                         | 632.36            | EA  | 445-91            |
| 3128K       | Sander, Ari, Random Orbital, Mini, 3" Pad Diameter 15,000<br>Max RPM, 1/4" NPTF Air Inlet               | 135.21            | EA  | 445-30            |
| 107XP       | Ratchet, Air, Heavy Duty, 3/8", 50ft-lb Max Torque, 1/4"NPTF Air Inlet                                  | 90.74             |     | 445-30            |
|             | Cut Off Tool, Air, Heavy Duty, 18,000 RPM, 1/4" NPTF Air  |                   |     |                   |
| 326         | Inlet Wrench, Impact, Air, Super Duty, Extented Anvil, 3/4", 1,100ft-                                   | 60.40             | ĿΑ  | 445-30            |
| 261-3       | Ib Max Torque, 3/8" NPTF Air Inlet Grinder, Angle Die, Air, Multi-Purpose, Heavy Duty, 1/4",            | 501.10            | EA  | 445-30            |
| 301         | 20,000 RPM, 1/4" NPTF Air Inlet   | 58.89             | EA  | 445-30            |

| Part Number | Product Description  | Net Unit<br>Price | UOM        | Commodity<br>Code |
|-------------|--|-------------------|------------|-------------------|
|             | Drill, Air, Angle, Reversible, 3/8", Super Duty, 1,200 RPM,  |                   |            |                   |
| 7804R       | 1/4" NPTF Air Inlet  | 207.61            | EA         | 445-30            |
|             | Grinder, Die, Air, Heavy Duty, 1/4", 25,000 RPM, 1/4" NPTF   |                   |            |                   |
| 308A        | Air Inlet  | 89.72             | EA         | 445-30            |
| 445         | Hammer, Air, Heavy Duty, 5,000 Blows Per Minute, 1/4"  | 44.40             | _,         | 445 20            |
| 115         | NPTF Air Inlet, 1 5/8" Stroke Hammer, Air, Heavy Duty, 2,000 Blows Per Minute, 1/4"                  | 41.19             | EA         | 445-30            |
| 117         | NPTF Air Inlet, 3 1/2" Stroke  | 58.64             | FA         | 445-30            |
|             | Hammer, Air, Super Duty, 3,000 Blows Per Minute, 1/4" NPTF   | 00.01             |            | 110 00            |
| 121/Q       | Air Inlet, 2 9/32" Stroke  | 98.81             | EA         | 445-30            |
|             | Hammer, Air, Super Duty, 1,725 Blows Per Minute, 1/4" NPTF   |                   |            |                   |
| 132         | Air Inlet, 4" Stroke   | 572.94            | EA         | 445-30            |
|             | Hammer, Kit, Air, Super Duty, 3,000 Blows Per Minute, 1/4"   |                   |            |                   |
|             | NPTF Air Inlet, 2 9/32" Stroke, 6 Piece Chisel Set, Blow   |                   |            |                   |
| 121-K6      | Molded Case  | 103.92            | EA         | 445-30            |
| 4.4-1.6     | Hammer, Kit, Air, Heavy Duty, 2,000 Blows Per Minute, 1/4"   | 0.4 =0            |            |                   |
| 117K        | NPTF Air Inlet, 3 1/2" Stroke, 5 Piece Chisel Set  | 64.70             | EA         | 445-30            |
| 1151/       | Hammer, Kit, Air, Heavy Duty, 5,000 Blows Per Minute, 1/4"   | E7 00             | ΕΛ         | 115 20            |
| 115K        | NPTF Air Inlet, 1 5/8" Stroke, Chisel Set Hammer, Kit, Air, Heavy Duty, 3,500 Blows Per Minute, 1/4" | 57.88             | EA         | 445-30            |
| 116K        | NPTF Air Inlet, 2 5/8" Stroke, 5 Piece Chisel Set  | 59.56             | FΔ         | 445-30            |
| TIOK        | Wrench, Impact, Air, Super Duty, 1", 1,100ft-lb Max Torque,  | 39.30             | LA         | 443-30            |
| 271         | 3/8" NPTF Air Inlet  | 544.42            | ΕA         | 445-30            |
|             | Wrench, Impact, Air, Super Duty, 1", 1,600ft-lb Max Torque,  | <u> </u>          |            |                   |
| 280         | 1/2" NPTF Air Inlet  | 1,599.32          | EA         | 445-30            |
|             | Wrench, Impact, Air, Heavy Duty, 1/2", 375ft-lb Max Torque,  | ,                 |            |                   |
| 235         | 1/4" NPTF Air Inlet  | 96.39             | EA         | 445-30            |
|             | Wrench, Impact, Air, Heavy Duty, 3/8", 150ft-lb Max Torque,  |                   |            |                   |
| 211         | 1/4" NPTF Air Inlet  | 242.01            | EA         | 445-30            |
|             | Wrench, Impact, Air, Super Duty, 3/8", 180ft-lb Max Torque,  |                   |            |                   |
| 212         | 1/4" NPTF Air Inlet  | 160.19            | EA         | 445-30            |
|             | Wrench, Impact, Air, Super Duty, Extended Anvil, 3/4",   | -0- 10            |            |                   |
| 261-6       | 1,100ft-lb Max Torque, 3/8" NPTF Air Inlet   | 525.43            | EA         | 445-30            |
| 280-6       | Wrench, Impact, Air, Super Duty, Extended Anvil, 1", 1,600ft-lb Max Torque, 1/2" NPTF Air Inlet      | 1,599.32          | <b>Ε</b> Λ | 445-30            |
| 200-0       | Wrench, Impact, Air, Super Duty, Extended Anvil #5 Spline,   | 1,599.52          | LA         | 445-50            |
| 280-S-6     | 1,600ft-lb Max Torque, 1/2" NPTF Air Inlet   | 1,599.32          | FΔ         | 445-30            |
| 200 0 0     | Wrench, Impact, Air, Super Duty, Extended Anvil #5 Spline,   | 1,000.02          |            | 110 00            |
| 293S        | 2,000ft-lb Max Torque, 1/2" NPTF Air Inlet   | 3,094.25          | EA         | 445-30            |
|             | Grinder, Die, Air, Mini, Standard Duty, 1/4", 27,000 RPM, 1/4"                                       | -,                |            |                   |
| 307A        | NPTF Air Inlet   | 51.34             | EA         | 445-30            |
|             |  |                   |            |                   |
|             | Grinder, Die, Kit, Air, Heavy Duty, 1/4", 27,000 RPM, 1/4"   |                   |            |                   |
| 307-K       | NPTF Air Inlet, 10 Mounted Grinding Tips, Blow Molded Case   | 72.48             | EA         | 445-30            |
|             | Needle Scaler, Air, Standard, Duty, 4,600 RPM, 19 of 1/8"  |                   | <b> _</b>  | <br>              |
| 125         | Needles, 1 1/8" Stroke, 1/4" NPTF Air Inlet  | 167.42            | ΕA         | 445-30            |
| 205         | Nibbler, Air, Heavy Duty, 3,200 Strokes Per Minute, Up to 18   | 457.05            | _,         | 145 00            |
| 325         | Gauge thicknesses, 1/4" NPTF Air Inlet   | 157.35            | ΕA         | 445-30            |
| 271         | Screwdriver, Air, Reversible, Pistol Grip, Heavy Duty, 1/4", 1,800 RPM, 1/4" NPTF Air Inlet          | 110 00            |            | 145-30            |
| 371         | Surface Conditioning Kit, Heavy Duty, 20,000 RPM, 1/4", 1/4"   | 118.89            | EA         | 445-30            |
|             | NPTF Air Inlet, 4 Course 2" and 4 Medium 2" Grit Pads, Blow  |                   |            |                   |
| 301-2MK     | Molded Case  | 96.64             | ΕA         | 445-06            |
| OUT ZIVIIX  | molada dado  | 30.04             | <u>/\</u>  | 1 70 00           |

| Part Number | Product Description   | Net Unit<br>Price | UOM | Commodity<br>Code |
|-------------|---|-------------------|-----|-------------------|
| 301-32MK    | Surface Conditioning Kit, Heavy Duty, 20,000 RPM, 1/4", 1/4" NPTF Air Inlet, 2 Course 3" and 2 Medium 3" Grit Pads, 2 Course 2" and 2 Medium 2" Grit Pads, Blow Molded Case | 108.25            | EA  | 445-06            |
| 3445MAX     | Grinder, Air, Angle, Super Duty, 5/8"-11 Collet, 12,000 RPM, 4 1/2", 1/4" NPTF Air Inlet  | 246.38            | EA  | 445-30            |
| 301-K       | Grinder, Die, Kit, Air, Heavy Duty, 1/4", 20,000 RPM, 1/4" NPTF Air Inlet, 10 Mounted Grinding Tips, Blow Molded Case   | 73.40             | EA  | 445-06            |
| 301-3MK     | Surface Conditioning Kit, Heavy Duty, 20,000 RPM, 1/4", 1/4" NPTF Air Inlet, 4 Course 3" and 4 Medium 3" Grit Pads, Blow Molded Case  | 98.61             | EA  | 445-06            |
| 2190TI      | Wrench, Impact, Air, Titanium Duty, 1", 1,650ft-lb Max Torque, 1/2" NPTF Air Inlet  | 754.53            | EA  | 445-30            |
| 2190TI-6    | Wrench, Impact, Air, Titanium Duty, Extended Anvil, 1", 1,650ft-lb Max Torque, 1/2" NPTF Air Inlet  | 754.53            | EA  | 445-30            |
| 2141        | Wrench, Impact, Air, Super Duty, 3/4", 1,200ft-lb Max Torque, 3/8" NPTF Air Inlet   | 539.65            | EA  | 445-30            |
| 215         | Wrench, Impact, Air, Heavy Duty, 3/8", 160ft-lb Max Torque, 1/4" NPTF Air Inlet   | 141.10            | EA  | 445-30            |
| 2161XP      | Wrench, Impact, Air, Super Duty, 3/4", 1,250ft-lb Max Torque, 3/8" NPTF Air Inlet   | 745.32            | EA  | 445-30            |
| 2161XP-6    | Wrench, Impact, Air, Super Duty, 3/4", 1,250ft-lb Max Torque, 3/8" NPTF Air Inlet, 14.5" Long   | 780.55            | EA  | 445-30            |
| 2171XP      | Wrench, Impact, Air, Super Duty, 1", 1,250ft-lb Max Torque, 1/2" NPTF Air Inlet   | 766.58            | EA  | 445-30            |
| 231HA       | Wrech, Impact, Air, Super Duty, 1/2", 590ft-lb Max Torque, 1/4" NPTF Air Inlet  | 145.57            | EA  | 445-30            |
| 231HA-2     | Wrech, Impact, Air, Super Duty, Extended Anvil, 1/2", 590ft-lb Max Torque, 1/4" NPTF Air Inlet Wrench, Impact, Air, Super Duty, Thundergun®, 1/2", 625ft-                   | 164.87            | EA  | 445-30            |
| 232TGSL     | lb Torque, 1/4" NPTF Air Inlet, 10,000 RPM  Wrench, Impact, Air, Super Duty, 1/2", 500ft-lb Max Torque,   | 251.72            | EA  | 445-30            |
| 244A        | 1/4" NPTF Air Inlet   | 241.48            | EA  | 445-30            |
| 244A-2      | Wrench, Impact, Air, Super Duty, Extended Anvil, 1/2", 500ft-lb Max Torque, 1/4" NPTF Air Inlet   | 243.85            | EA  | 445-30            |
| 252         | Wrench, Impact, Air, Super Duty, 3/4", 750ft-lb Max Torque, 3/8" NPTF Air Inlet   | 296.48            | EA  | 445-30            |
| 290         | Wrench, Impact, Air, Super Duty, 1", 1,600ft-lb Max Torque, Adjustable Handle, 1/2" NPTF Air Inlet  | 1,700.11          | EA  | 445-30            |
| 293         | Wrench, Impact, Air, Super Duty, 1", 2,000ft-lb Max Torque, 1/2" NPTF Air Inlet   | 3,094.25          | EA  | 445-30            |
| 258         | Wrench, Impact, Air, Heavy Duty, 3/4", 1,000ft-lb Max<br>Torque, 3/8" NPTF Air Inlet  | 308.78            | EA  | 445-30            |
| 1103        | Ratchet, Air, Super Duty, 1/4", 25ft-lb Max Torque, 1/4" NPTF Air Inlet   | 129.64            | EA  | 445-30            |
| 1133        | Ratchet, Air, Super Duty, 3/8", 25ft-lb Max Torque, 1/4" NPTF Air Inlet   | 132.44            | EA  | 445-30            |
| 4429        | Reciprocating Saw, Air, Super Duty, 5,750 Strokes per Minute, 1/4" NPTF Air Inlet   | 120.95            | EA  | 445-59            |
| 429         | Reciprocating Saw, Air, Heavy Duty, 10,000 Strokes per<br>Minute, 1/4" NPTF Air Inlet   | 95.93             | EA  | 445-59            |
| 311A        | Sander, Air, Dual Action, Quiet, Heavy Duty, 6" Pad, 10,000 RPM, 5/16"-24 Spindle, 1/4" NPTF Air Inlet  | 58.62             | EA  | 445-06            |

|             |   | Net Unit |     | Commodity |
|-------------|---|----------|-----|-----------|
| Part Number | Product Description   | Price    | UOM | Code      |
|             | Sander, Air Geared, Orbital, 8" Pad, Heavy Duty, 825 RPM,                                     |          |     |           |
| 328B        | 1/4" NPTF Air Inlet   | 127.05   | EA  | 445-06    |
|             | Sander, Air, Random Orbital, Vacuum Ready, Super Duty,  |          |     |           |
| 4151        | 12,000 RPM, 6" Pad, 1/4" NPTF Air Inlet   | 143.78   | EA  | 445-06    |
|             | Sander, Air, Random Orbital, Vacuum Ready, Super Duty,  |          |     |           |
| 4151-5      | 12,000 RPM, 5" Pad, 1/4" NPTF Air Inlet   | 143.78   | EA  | 445-06    |
|             | Sander, Air, Random Orbital, Vacuum Ready, Super Duty,  |          |     |           |
| 4151-HL     | 12,000 RPM, 6" Pad, 1/4" NPTF Air Inlet, Hook and Loop Pad                                    | 143.78   | ΕA  | 445-06    |
| 315         | Sander, Air, Straight Line, Twin Piston, 3,000 RPM, 2 3/4" x 17 1/2" Pad, 1/4" NPTF Air Inlet | 112.90   | EA  | 445-30    |
|             | Grinder/Buffer, Air, Tire, High Speed, Heavy Duty, 3/8",                                      |          |     |           |
| 327         | 22,000 RPM, 1/4" NPTF Air Inlet   | 65.78    | EA  | 445-30    |
|             | Grinder/Buffer, Air, Tire, Low Speed, Heavy Duty, 3/8", 3,000                                 |          |     |           |
| 327LS       | RPM, 1/4" NPTF Air Inlet  | 89.72    | EA  | 445-30    |